

International Members

AL QAHTANI PIPE COATING INDUSTRIES

Email Address: info@aqpci.net

Tariq A.H. Al Qahtani & Bros, P.O. Box 20, Dammam 31411, Kingdom of Saudi Arabia, Telephone: 966-3-857-4150, Telefax: 966-3-826-9894

TARIQ A.H. AL QAHTANI - Chairman of the Board
SALAH A.H. AL QAHTANI - Executive Vice President

Hozefa Abbas - Manager - Sales & Marketing, Saudi Arabia, Tel:
966-3-857-4150; E-mail: hozefa.abbas@aqpci.net

Johnny Matthews - Project Development, (713) 781-0366, USA,
966-3-857-41-50 KSA, E-mail: jmatthews@saosi.com

Adel S. Botros - Director of Technical Services, Research &
Development, 966-3-856-2733; E-mail: adel.botros@aqpci.net

PLANT LOCATIONS:

DAMMAM, SAUDI ARABIA - EASTERN PROVINCE - PERSIAN GULF
Site 1, Dammam Port Road
Site 2, Jubail Highway
Site 3, Yanbu

PRODUCTS:

Corrosion Control Coatings

- Internal Fusion Bonded Epoxy
- External Fusion Bonded Epoxy
- External Three Layer Extruded Polyethylene
- External Sintered Polyethylene Coating
- Internal Baked on Phenolic Coating
- Internal & External conventional Liquid Coating
- Custom Coating of fittings and spools Fusion Bond Epoxy Coating Liquid Epoxy Coating
- Internal Shop Girth Weld Coating with FBE
- External Shop Girth Weld Coating with FBE
- External Heat Activated Wrapping

Concrete Coating Services

- External Concrete Weight Coating Compression Coat Method Impingement Method
- Internal Cement Mortar Lining

Field Coating Services

- Internal Field Girth Weld Coating with FBE
- External Field Girth Weld Coating with FBE
- External Shrink Sleeve Girth Weld Application
- External Field Girth Weld Coating-Spraying Polypropylene
- Mechanical Coupling Installation
- Pipeline Rehabilitation

Other Services

- Heat Exchanger Tube Coating
- Pipe Double Jointing
- Repair of Pipe

ISO 9002 Certified

AFFILIATES

Saudi Arabian Overseas Services
5718 Westheimer, Suite 1515
Houston, Texas 77057
Telephone: (713) 781-0366, Telefax: (713) 781-1344,
E-mail: info@saosi.com

BAYOU PERMA-PIPE CANADA, LTD.

Web Address: <http://www.bayoupermapipe.com>

Email Address: RZilli@bayoupermapipe.com

CANADIAN SALES OFFICE

#610, 138-4th Ave. SE Calgary, Alberta, Canada T4V 4R5
Telephone: (403) 264-4880, Telefax (430) 290-0055

COATING FACILITY

Address: 5233 - 39 Street, Camrose, Alberta, Canada T4V 4R5
Telephone: (780)672-2345: Telefax (780)672-3006

RANDY ZILLI - President
Email: RZilli@bayoupermapipe.com
CASEY BRAY - Sales Manager
Email: cbray@bayoupermapipe.com

PLANT RAIL ADDRESS:

Spur CB16 5233 - 39 Street, Camrose, AB
Telephone: (780)672-2345: Telefax (780)672-3006

PLANT LOCATIONS:

SE Calgary, Alberta, Canada

PRODUCTS:

PRODUCTS AND SERVICES:

O.D. Coating of pipe through 60" with Fusion Bond Epoxy coatings including 3M Scotchkote, Nap-Gard and others. Internal Flow Efficiency Coatings 24" through 48" on 40' through 80' lengths.

OD Coating of pipe 2" – 20" with RA (Two-layer Crosshead extrusion).

OD Coating of 3" – 60" with IIISE.

Foam insulation application capability over a wide range of corrosion barriers including Tape & Primer, RA, FBE, and IIISE.

Crosshead application for 2" – 20" OD sizes / Side extruded PE capability larger foam insulated Projects.

BREDERO SHAW (a ShawCor Company)

Web Address: <http://www.BrederoShaw.com>

3838 N. Sam Houston Pkwy. E., Suite 300, Houston, Texas 77032-3400, Telephone: (281) 886-2350, Telefax: (281) 886-2351

GROUP EXECUTIVES

HENRI TAUSCH - President
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

THOMAS ANDERSON - SVP Americas
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

PAUL KLEINEN - VP, Global Engineering and Technology, SVP Americas

Bredero Shaw, Tel. 281-886-2350, Houston, Texas

CHRIS HAVERN - VP, Mobile Technologies
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

AMERICAS

Office Locations

SHAWCOR LTD.

25 Bethridge Road
Toronto, Ontario M9W 1M7
Tel: +1 416 743 7111, Fax: +1 416 743 7199

SHAW PIPE PROTECTION LTD.

Two Executive Place
1824 Crowchild Trail NW,
Calgary, Alberta T2M 3Y7
Tel: +1 403 263 2255, Fax: +1 403 264 3649

Camrose, AB, CANADA

Shaw Pipe Protection Ltd
5117 39th St., Camrose, Alberta T4V 4B4
Tel: +1-780-678-2400, Fax: +1-780-678-2423

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
Yellow Jacket®: High Density Two Layer Polyethylene
Insul-8®
Insul-8® AG: Pre-insulated pipe insulation system for above ground pipelines
SureFlo® FEC: Thin Film Internal Epoxy

21st Street, Edmonton, AB, CANADA

Shaw Pipe Protection Ltd
10275-21st Street, Edmonton, Alberta T6P 1P3
Tel: +1 780 467-5501, Fax: +1 780 467-0898

Operations Manager: Lynel Zimmer

Coatings

Yellow Jacket®: High Density Two Layer Polyethylene
Compression Coat Concrete Weight Coating
Insul-8®: Spray Applied Polyurethane Foam Insulation
SureFlo® CML: Centrifugally Applied Cement
Rock Jacket®: Wrap Applied Bendable Concrete Coating

34th Street, Edmonton, AB, CANADA

Shaw Pipe Protection Ltd
6010 30th Street NW, Edmonton, Alberta T6P 1J7
Telephone: +1 780 461-2075, Fax: +1 780 462-1634

Plant Mngr: Lynel Zimmer

Coatings

Yellow Jacket®: High Density Two Layer Polyethylene
YJ2K®: Three Layer PE Coating for Higher Temperatures

Regina, SK, CANADA

Shaw Pipe Protection Ltd
2501 Pasqua St. North, Regina
Saskatchewan S4S 0M3
Tel: +1 306 543-2552, Fax: +1 306 543-6168

Plant Mngr: Brian Pacholik

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy Powder
HPCC®: High Performance Composite Coating

Monterrey, MEXICO

Bredero Shaw Mexico, S.A. de C.V.
Antigua Carretera a Roma Km. 4.5

Col. Lagrange C. P. 66490
San Nicolás de los Garza
Nuevo León, Mexico
Tel: +52 818 313 9760, Fax: +52 818 313 8336

*Plant Mngr.: Sergio Escobar
Sales: Jamie Llano*

Coatings

FBE: Fusion Bonded Epoxy Powder
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene

Coatzacoalcos, MEXICO

Bredero Shaw Mexico, S.A. de C.V.
Imperial Del Recimto Portuario., Col. Centro
Coatzacoalcos, Veracruz, Mexico 96400
Tel: +52 921 212 0894, Fax: +52 921 212 7958

Sales: Jesus Yzquierdo

Coatings

Compression Coat Concrete Weight Coating

Veracruz, MEXICO

Bredero Shaw Mexico, S.A. de C.C.
Av Las Torres Lote 8 Manzana XVI esquina
Cocoterros, Ciudad Industrial Bruno Pagliai Tejeria,
Veracruz C.P. 91697, Mexico
Tel: +52 229 981 0950, Fax: +52 229 981 0939

Sales: Jamie Llano

Coatings

FBE: Fusion Bonded Epoxy Powder
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
Thermotite®: Polypropylene Insulation System
Custom Coating

Belo Horizonte, BRAZIL

Bredero Shaw Revestimentos de Tubos Ltda.
Av. Olinto Meireles
65 - Barreiro CEP 30.640-010
Belo Horizonte - Minas Gerais, Brasil
Tel: +55 31 3029 6933, Fax: +55 31 3029 6901

Sales: Mario Ponchon

Coatings

FBE: Fusion Bonded Epoxy Powder
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
Thermotite®: Polypropylene Insulation System
Custom Coating and Field Joint Coating

Caracas, VENEZUELA

Bredero Shaw
Calle del Cangilon, Edif. Gicanlon, Apto.
1-A, La Tahona, Caracas, Venezuela
Te.: +58 414 265 0095

Sales: Santiago Castellano

EUROPE, MIDDLE EAST, AFRICA & RUSSIA (EMAR)

YVES PALETTA – Sr. VP. EMAR (Europe, Middle East, Africa, Russia)
Tel: +44 – (0)288- 622-3804, London, UK

JACCO VERVOORT - VP Operations, EMAR
Tel: +44 208-622-3256, London

KEVIN REIZER – VP/GM Business Development Asia Pacific
Tel: +65 6732 2355, Singapore

ED BOUFARAH - VP/GM Middle East & India
Tel: +971 6 573 7374, Sharjah

Office Locations

Leith, SCOTLAND

Bredero Shaw Ltd.
Bredero House, Imperial Dock
Leith, Edinburgh EH6 7DT, Scotland, UK
Tel: (44) (131) 553-9600, Fax: (44) (131) 553-9699

Coatings

FBE: Fusion Bonded Epoxy Powder
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
Thermotite®: Polypropylene Insulation System
ThermoFlo®: Polyurethane Insulation Systems
HeviCote®: Concrete Weight Coating
AE: Asphalt Enamel Pipeline Coating

Ellon, SCOTLAND

Bredero Shaw Ltd.
Castlepark Industrial Estate
Ellon, Aberdeenshire Scotland AB41 9RF, UK
Tel: (44) (1358) 723-435, Fax: (44) (1358) 723-371

Coatings

FBE: Fusion Bonded Epoxy Powder
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPP: Three Layer Polypropylene
3LPE: Three Layer Polyethylene
Custom Coating and Field Joint Coating
ThermoFlo®: Polyurethane Insulation Systems

Farsund, NORWAY

Bredero Shaw Norway A/S
Lundevågveien 2
N-4552 Farsund, Norway
Tel: (47) (38) 39-5300, Fax: (47) (38) 39-5301

Coatings

HeviCote®: Concrete Weight Coating
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
AE: Asphalt Enamel Pipeline Coating

Orkanger, NORWAY

Bredero Shaw Norway A/S
Gronora Industriområde
7300 Orkanger, Norway
Tel: (47) (72) 46-60-60, Fax: (47) (72) 46-60-70

Sales: Hilde Smevoll

Coatings

FBE: Fusion Bonded Epoxy Powder
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
Thermotite®: Polypropylene Insulation System
Custom Coating and Field Joint Coating

SINGAPORE

Bredero Shaw Pte. Ltd.
101 Thomson Rd. #17-01/02 United Square
Singapore 307591
Tel: +65 6732 2355, Fax: +65 6732 9073

Jakarta, INDONESIA

PT Bredero Shaw Indonesia
Tamara Building, 5th Floor, Suite 501
Jl. Jemderal Sudirman kav. 24
Jakarta 12920, Indonesia
Tel: +62 21 252 5671, Fax: +62 21 252 5672

Kabil, Batam Island, INDONESIA

PT Bredero Shaw Indonesia
Jl. Hang Kesturi Kav 3A1
Kawasan Industri Terpadu Kabil
Batam 29467, Indonesia
Tel: +62 778 412 275, Fax: +62 778 412 279

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
AE: Asphalt Enamel
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
External Paint
HeviCote®: Concrete Weight
Insulation Coating (PUF)
Insulation Coating (sPU)

Kuantan, MALAYSIA

Bredero Shaw (Malaysia)
16m.s Kuantan/Kemaman Rd.
PO Box 172, 25720 Kuantan
Pahang Darul Makmur, Malaysia
Tel: +60 9 585 2888, Fax: +60 9 583 3336

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Fusion Bonded
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
AE: Asphalt Enamel
ThermoFlo®: Polyurethane Insulation Systems
Thermotite®: Polypropylene Insulation Systems
SureFlo® FEC: Thin Film Internal Epoxy
HeviCote®: Concrete Weight Coating
Pipe-in-Pipe: PU Foam Insulated Pipe-In-Pipe
Insul-8®: Moulded or Spray Applied PU Foam Insulation
Custom Coatings and Field Joint Coating

Kembla Grange, AUSTRALIA

Bredero Shaw Australia PTY LTD
66 West Dapto Rd.
Kembla Grange
NSW 2526, Australia
Tel: +61 2 4261 3455, Fax: +61 2 4261 4571

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
Compression Coat Concrete Weight Coating
Rock Jacket: Wrap Applied Bendable Concrete Coating
Yellow Jacket®: High Density Two Layer Polyethylene Coating
Yellow Jacket® XL: High Density Two Layer Polyethylene Coating
Insul-8®: Moulded or Spray Applied PU Foam Insulation
SureFlo® FEC: Thin Film Internal Epoxy Coating
SureFlo® SF: Solvent Free Thin Film Internal Epoxy Coating

Sharjah, UAE

Bredero Shaw (Middle East) Ltd.
Suite 402, Al Reem Plaza
Buhairah Corniche, Sharjah, U.A.E.
Tel: +971 6 573 7374, Fax: +971 6 573 7379

Ras Al Khaimah, UAE

Bredero Shaw (Middle East) Ltd.
P.O. Box 6997
Saqr Port Authority
Ras Al Khaimah, U.A.E.
Tel: +971 7 266 0133, Fax: +971 7 266 0144

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
HeviCote®: Concrete Weight Coating
Pipe-in-Pipe: PU Foam Insulated Pipe-in-Pipe
SureFlo® FEC: Thin Film Internal Epoxy
SureFlo® SF: Solvent Free Thin Film Internal Epoxy
Custom Coatings

Jubail, SAUDI ARABIA

Arabian Pipecoating Company Ltd.
P.O. Box 106, Al-Khobar 31952, Saudi Arabia
Tel: +966 3 882 2933, Fax: +966 3 882 2487

Coatings

FBE: Fusion Bonded Epoxy
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
3LPE: Three Layer Polyethylene
3LPP: Three Layer Polypropylene
SureFlo® FEC: Thin Film Internal Epoxy Coating
SureFlo® SF: Solvent Free Thin Film Internal Epoxy Coating
SureFlo® FBE: Internal FBE Lining
Compression Coat Concrete Weight Coating
Custom Coatings

BAHRAIN

Arabian Pipecoating Co. Ltd.
Bldg # 1579, Flat # 11
Road # 80, Abu Saiba 473
Budaya Highway, Bahrain

Postal Address

PO Box 30701
Budaya, Manama, Bahrain
Tel: +973 17 592 162, Fax: +973 17 592 163

PRODUCTS:

BREDERO SHAW - PRODUCTS

Anti-Corrosion Coatings

- HPCC: High Performance Composite Coating
- 3LPE: Three Layer Polyethylene Coating
- 3LPP: Three Layer Polypropylene Coating
- FBE: Fusion Bonded Epoxy
- Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
- Yellow Jacket®: High Density Two Layer Polyethylene Coating
- Yellow Jacket® XL: High Density Two Layer Polyethylene Coating
- YJ2K®: Three Layer Bonded Polyethylene Coating for Higher Temperatures
- AE®: Asphalt Enamel Pipeline Coating
- PRITEC®: Multi-Layer Polyethylene Coating
- Polychloroprene: Neoprene Rubber Coating

Protective and Weight Coatings

- HeviCote®: Concrete Weight Coating
- Compression Coat Concrete Weight Coating
- Rock Jacket®: Wrap Applied Bendable Concrete Coating

Flow Assurance Coatings

- ThermoFlo®: Polyurethane Insulation Systems
- Thermitite®: Polypropylene Insulation Systems
- Pipe-In-Pipe: Polyurethane Foam Insulated Pipe-In-Pipe
- Insul-8®: Moulded or Spray Applied Polyurethane Foam Insulation
- Insul-8® HT: Spray Applied Polyurethane Foam Insulation High Temperature
- Insul-8® AG: Pre-insulated pipe insulation system for above ground pipelines

Internal Coatings

- SureFlo® FEC: Thin Film Internal Epoxy Coating
- SureFlo® SF: Solvent Free Thin Film Internal Epoxy Coating
- SureFlo® FBE: Internal FBE Lining
- SureFlo® CML: Centrifugally Applied Cement
- WaterGuard™ LE: Solvent Free Epoxy Protective Lining
- WaterGuard™ PU: Solvent Free Rigid Polyurethane Lining

Custom Coatings and Field Joint Coatings

CORINTH PIPEWORKS S.A.

HEAD OFFICE:

Corinth Pipeworks S.A. - Corporate Office - 33, Amaroussiou – Halandriou Street, 151 25 Maroussi, Athens, Greece, Telephone: 30-210-678-7111, Telefax: 30-210-678-7510, E-mail: info@cpw.gr, Website: www.cpw.gr

APOSTOLOS PAPAVALIIOU – CEO
THANASIS KOTZAKARIS – Plant Director
ILIAS BEKIROU – Commercial Director
NICK VOUDOURIS - Quality Manager
VASILLIS GOTSIS - Coating and Lining Director

PLANT LOCATIONS:

Thisvi Plant:

Vi. Pe. Thisvis, 320 10 Domvrena, Viotia, Greece, Telephone: 0030-264-22210, 0030-264-22777, 0030-264-22377, 0030-264-22388, Telefax: 0030-264-22210

U.S.A. Office:

CPW America Company, A Corinth Pipeworks Company, 10497 Town & Country Way, Suite 235, Houston, Texas 77024, USA, Telephone: 281-752-7300, Telefax: 281-752-7303

Dianne Burger - President, E-mail: DBurger@cpwamerica.com

Mark Soloninka - Vice President Sales and Business Development, Direct Phone: (281) 752-7397, E-mail: msoloninka@cpwamerica.com

PRODUCTS:

Corinth Pipeworks S.A. manufactures longitudinally ERW/HFI and SAW spiral welded steel pipes. We also coat pipe - externally with 3 layer polyethylene/polypropylene and fusion bonded epoxy coating and internally with liquid epoxy. Future plans include concrete weight coating.

STEEL PIPES ON AND OFFSHORE

Linepipe & Casing Pipes ERW/HFI
Grade up to: X 80 & N-80
O.D. range: 8.625" - 26"
Wall Thickness: 4 - 20 mm
Max. Pipe Length: 18 m
Capacity: 570,000 Metric tons/year

Linepipe & Piling Spiral SAW Pipes
Grade up to: X 70
O.D. range: 20 - 100"
Wall Thickness: 4.8 - 25 mm
Max. Pipe Length: 18 m (Linepipe), 33 m (piling)
Capacity: 355,000 Metric tons/year

PIPE COATING AND LINING

3-Layer PE/PP and FBE coating (3 lines)
O.D. range: 3 1/2 - 48" (Corinth Plant)
4 1/2 - 40" (Thisvi Plant)
8 5/8 - 100" (Thisvi Plant)
Total capacity: 8,500,000 m2/year

Liquid Epoxy Lining (3 Lines)
O.D. range: 3 1/2 - 40" (Corinth Plant)
8 5/8 - 56" (Thisvi Plant)
8 5/8 - 100" (Thisvi Plant)
Total capacity: 2,500,000 m2/year
* Cement lining/Concrete weight coating

GLOBAL PIPES FIELD COMPANY

Email Address: m.c@industrialfield.com

3rd Floor SABB Bank Credit Card Bldg., Dabab St., Riyadh, Kingdom of Saudi Arabia;
Telephone: +966-1-409-3935; Facsimile: +966-1-409-3932; Email: m.c@industrialfield.com

ZAHI CHAHINE - General Manager

PLANT LOCATIONS:

Jeddah, Kingdom of Saudi Arabia
Dammam, Kingdom of Saudi Arabia

PRODUCTS:

Global Pipes Field is a pipe coating company based in Saudi Arabia. The company was established in 2012 and currently provides field coatings and pre-insulation of pipes with polyurethane. The company is expanding its facilities to include the following coating lines: three-layer polyethelene, fusion bonded epoxy external coating, and internal coatings.

SALZGITTER MANNESMANN INTERNATIONAL

Web Address: <http://www.salzgittermannesmann.international.us>

1770 St. James Place, Suite 500, Houston, Texas 77056
Telephone: (713) 386-7900; Telefax: (713) 965-9330

KURT SWENDSON – Line Pipe Sales
DANIEL PEREZ – Sales Manager Line Pipe

PLANT LOCATIONS:

In der Steinwiese 31

57074 Siegen, Germany

Kissinger Weg
89067 Hamm, Germany

PRODUCTS:

Salsgitter Mannesmann Line Pipe manufactures HFI-welded pipe at our two German-based mills. Our Siegen mill produces pipe from 4" - 16" OD, while our Hamm mill produces from 16"-24". As of 2010, we are capable of supplying 1.0" maximum wall thickness. Both mills have on-site coating facilities supplying 3-layer PE and PP coating, as well as single and dual layer FBE.

Steel Pipe

Line Pipe & Casing HFI

OD Range: 4½"-24"

Wall Thickness: up to 1.00"

Grades: up to X80

Max Pipe Length: 59 ft (18 m)

Coatings

3-Layer PE

3-Layer PP

Single Layer FBE

Dual Layer FBE

Cement Fiber Mortar

Internal Epoxy Flow Coating

Cement Mortar Lining

WASCO COATINGS MALAYSIA SDN BHD

Web Address: <http://www.wascoenergy.com>

Email Address: rik.nugteren@wascoenergy.com

HEADQUARTERS:

Suite 19.01, Level 19, The Gardens North Tower, Mid Valley City, Lingkaran Syed Putra, 59200 Kuala Lumpur, Malaysia, Telephone: +603-2685-6800, Telefax: +603-2685-6999

DR. MARTYN WILMOTT - President - Pipe Coating Division
Email: martyn.wilmott@wascoenergy.com

RIK NUGTEREN - General Manager, EU
Email: rik.nugteren@wascoenergy.com

RAYMOND TAN - Head of Sales and Commercial - Asia
Email: raymond.tan@wascoenergy.com

REGIONAL OFFICES:

WASCO COATINGS LTD
(EUROPE OFFICE)
Wasco Coatings Europe,
Kloosring 22,
3261SB Oud-Beijerland,
The Netherlands

WASCO KANSSEN LTD

Room 968, Towercrest Plaza
No. 3 MaiZiDianXi Road
Chaoyang District Beijing, 100016
People's Republic of China

Tel: +86 10 8458 0258
Fax: +86 10 6460 5240
Email: kanssen.sales@wascoenergy.com

PLANT LOCATIONS:

MALAYSIA:

KUANTAN PLANT

Sub Lot 2, Kawasan Perindustrian Miel,
Gebeng. Km 25, Jalan Kuantan-Kemaman,
P.O. Box 240, 25720 Kuantan,
Pahang Darul Makmur,
Malaysia.

KOTA KINABALU PLANT

Kota Kinabalu Industrial Park,
Lot 13, General Industrial Zone,
KKIP Mile 15, Jalan Telipok,
88450 Kota Kinabalu, Sabah,
Malaysia.

Numerous locations in China and Nigeria.

PRODUCTS:

- Fusion Bonded Epoxy (FBE) Coating
- Multi-Layer Fusion Bonded Epoxy Coating
- Three Layer Polyethylene (3LPE) Coating
- Three Layer Polypropylene (3LPP) Coating
- Asphalt Enamel (AE) Coating
- Concrete Weight Coating (CWC)
- Internal Lining
- Custom Coating
- Thermal Spray Aluminum (TSA) Coating
- Syntactic Polyurethane Flow Assurance Coating
- Multi-Layer Polypropylene (Solid, Foam and Syntactic) Flow Assurance Coating
- Low Density Foam Pipe-in-Pipe

WELSPUN CORPORATION, LTD.

Web Address: <http://www.welspunpipes.com>

Email Address: sales_wgsrl@welspun.com

9/B, Tradeworld, Kamala Mills Compound, Senapati Bapat Marg, Lower Parel, Mumbai - 400 013 (India),
Telephone: 91-22-56612600/24908000, Telefax: 91-22-56603031/24908020

RAJESH MANDAWEWALA - CEO & Managing Director

VIPUL MATHUR - Director Sales & Marketing

PLANT LOCATIONS:

Village Vadala, Near Dahej, District Bharuch - Gujarat (India)

PRODUCTS:

Manufacturer of longitudinal and spiral sub-merged arc welded (DSAW) pipes with range of longitudinal pipes as OD from 16 inch to 60 inch, thickness 6mm to 65mm with grade up to X-80 and above and spiral pipes as OD 18 inch to 72 inch and thickness 5 mm to 14mm. Also coated pipes with coating with EUPEC - Welspun Pipecoatings India Limited with 3LPE/3LPP, Mono and Dual Layer FBE, CTE, Internal Lining, CWC, etc.
