

## International Members

---

### AL QAHTANI PIPE COATING INDUSTRIES

Email Address: [info@aqpci.net](mailto:info@aqpci.net)

Tariq A.H. Al Qahtani & Bros, P.O. Box 20, Dammam 31411, Kingdom of Saudi Arabia, Telephone: 966-3-857-4150, Telefax: 966-3-826-9894

TARIQ A.H. AL QAHTANI - Chairman of the Board  
SALAH A.H. AL QAHTANI - Executive Vice President

Hozefa Abbas - Manager - Sales & Marketing, Saudi Arabia, Tel: 966-3-857-4150; E-mail: [hozefa.abbas@aqpci.net](mailto:hozefa.abbas@aqpci.net)

Johnny Matthews - Project Development, (713) 781-0366, USA, 966-3-857-41-50 KSA, E-mail: [jmatthews@saosi.com](mailto:jmatthews@saosi.com)

Adel S. Botros - Director of Technical Services, Research & Development, 966-3-856-2733; E-mail: [adel.botros@aqpci.net](mailto:adel.botros@aqpci.net)

### PLANT LOCATIONS:

DAMMAM, SAUDI ARABIA - EASTERN PROVINCE - PERSIAN GULF  
Site 1, Dammam Port Road  
Site 2, Jubail Highway  
Site 3, Yanbu

### PRODUCTS:

#### Corrosion Control Coatings

- Internal Fusion Bonded Epoxy
- External Fusion Bonded Epoxy
- External Three Layer Extruded Polyethylene
- External Sintered Polyethylene Coating
- Internal Baked on Phenolic Coating
- Internal & External conventional Liquid Coating
- Custom Coating of fittings and spools Fusion Bond Epoxy Coating Liquid Epoxy Coating
- Internal Shop Girth Weld Coating with FBE
- External Shop Girth Weld Coating with FBE
- External Heat Activated Wrapping

#### Concrete Coating Services

- External Concrete Weight Coating Compression Coat Method Impingement Method
- Internal Cement Mortar Lining

#### Field Coating Services

- Internal Field Girth Weld Coating with FBE
- External Field Girth Weld Coating with FBE
- External Shrink Sleeve Girth Weld Application
- External Field Girth Weld Coating-Spraying Polypropylene
- Mechanical Coupling Installation
- Pipeline Rehabilitation

#### Other Services

- Heat Exchanger Tube Coating
- Pipe Double Jointing
- Repair of Pipe

ISO 9002 Certified

## AFFILIATES

Saudi Arabian Overseas Services  
5718 Westheimer, Suite 1515  
Houston, Texas 77057  
Telephone: (713) 781-0366, Telefax: (713) 781-1344,  
E-mail: [info@saosi.com](mailto:info@saosi.com)

---

## BREDERO SHAW (a ShawCor Company)

Web Address: <http://www.BrederoShaw.com>

3838 N. Sam Houston Pkwy. E., Suite 300, Houston, Texas 77032-3400, Telephone: (281) 886-2350, Telefax: (281) 886-2351

### GROUP EXECUTIVES

HENRI TAUSCH - President  
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

THOMAS ANDERSON - SVP Americas  
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

PAUL KLEINEN - VP, Global Engineering and Technology, SVP Americas  
Bredero Shaw, Tel. 281-886-2350, Houston, Texas

CHRIS HAVERN - VP, Mobile Technologies  
Bredero Shaw, Tel: 281-886-2350, Houston, Tx.

### AMERICAS

#### **Office Locations**

#### **SHAWCOR LTD.**

25 Bethridge Road  
Toronto, Ontario M9W 1M7  
Tel: +1 416 743 7111, Fax: +1 416 743 7199

#### **SHAW PIPE PROTECTION LTD.**

Two Executive Place  
1824 Crowchild Trail NW,  
Calgary, Alberta T2M 3Y7  
Tel: +1 403 263 2255, Fax: +1 403 264 3649

#### **Camrose, AB, CANADA**

Shaw Pipe Protection Ltd  
5117 39th St., Camrose, Alberta T4V 4B4  
Tel: +1-780-678-2400, Fax: +1-780-678-2423

#### Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
Yellow Jacket®: High Density Two Layer Polyethylene  
Insul-8®  
Insul-8® AG: Pre-insulated pipe insulation system for above ground pipelines  
SureFlo® FEC: Thin Film Internal Epoxy

#### **21<sup>st</sup> Street, Edmonton, AB, CANADA**

Shaw Pipe Protection Ltd  
10275-21st Street, Edmonton, Alberta T6P 1P3  
Tel: +1 780 467-5501, Fax: +1 780 467-0898

*Operations Manager: Lynel Zimmer*

#### Coatings

Yellow Jacket®: High Density Two Layer Polyethylene  
Compression Coat Concrete Weight Coating  
Insul-8®: Spray Applied Polyurethane Foam Insulation  
SureFlo® CML: Centrifugally Applied Cement  
Rock Jacket®: Wrap Applied Bendable Concrete Coating

#### **34<sup>th</sup> Street, Edmonton, AB, CANADA**

Shaw Pipe Protection Ltd  
6010 30th Street NW, Edmonton, Alberta T6P 1J7  
Telephone: +1 780 461-2075, Fax: +1 780 462-1634

*Plant Mngr: Lynel Zimmer*

Coatings

Yellow Jacket®: High Density Two Layer Polyethylene  
YJ2K®: Three Layer PE Coating for Higher Temperatures

**Regina, SK, CANADA**

Shaw Pipe Protection Ltd  
2501 Pasqua St. North, Regina  
Saskatchewan S4S 0M3  
Tel: +1 306 543-2552, Fax: +1 306 543-6168

*Plant Mngr: Brian Pacholik*

Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy Powder  
HPCC®: High Performance Composite Coating

**Monterrey, MEXICO**

Bredero Shaw Mexico, S.A. de C.V.  
Antigua Carretera a Roma Km. 4.5  
Col. Lagrange C. P. 66490  
San Nicolás de los Garza  
Nuevo León, Mexico  
Tel: +52 818 313 9760, Fax: +52 818 313 8336

*Plant Mngr.: Sergio Escobar*  
*Sales: Jamie Llano*

Coatings

FBE: Fusion Bonded Epoxy Powder  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene

**Coatzacoalcos, MEXICO**

Bredero Shaw Mexico, S.A. de C.V.  
Imperial Del Recimto Portuario., Col. Centro  
Coatzacoalcos, Veracruz, Mexico 96400  
Tel: +52 921 212 0894, Fax: +52 921 212 7958

*Sales: Jesus Yzquierdo*

Coatings

Compression Coat Concrete Weight Coating

**Veracruz, MEXICO**

Bredero Shaw Mexico, S.A. de C.C.  
Av Las Torres Lote 8 Manzana XVI esquina  
Cocoterros, Ciudad Industrial Bruno Pagliai Tejeria,  
Veracruz C.P. 91697, Mexico  
Tel: +52 229 981 0950, Fax: +52 229 981 0939

*Sales: Jamie Llano*

Coatings

FBE: Fusion Bonded Epoxy Powder  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
SureFlo® FEC: Thin Film Internal Epoxy  
SureFlo® SF: Solvent Free Thin Film Internal Epoxy  
Thermotite®: Polypropylene Insulation System  
Custom Coating

**Belo Horizonte, BRAZIL**

Bredero Shaw Revestimentos de Tubos Ltda.

Av. Olinto Meireles  
65 - Barreiro CEP 30.640-010  
Belo Horizonte - Minas Gerais, Brasil  
Tel: +55 31 3029 6933, Fax: +55 31 3029 6901

*Sales: Mario Ponchon*

Coatings

FBE: Fusion Bonded Epoxy Powder  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
SureFlo® FEC: Thin Film Internal Epoxy  
SureFlo® SF: Solvent Free Thin Film Internal Epoxy  
Thermotite®: Polypropylene Insulation System  
Custom Coating and Field Joint Coating

**Caracas, VENEZUELA**

Bredero Shaw  
Calle del Cangilon, Edif. Gicanlon, Apto.  
1-A, La Tahona, Caracas, Venezuela  
Te.: +58 414 265 0095

*Sales: Santiago Castellano*

**EUROPE, MIDDLE EAST, AFRICA & RUSSIA (EMAR)**

YVES PALETTA – Sr. VP. EMAR (Europe, Middle East, Africa, Russia)  
Tel: +44 – (0)288- 622-3804, London, UK

JACCO VERVOORT - VP Operations, EMAR  
Tel: +44 208-622-3256, London

KEVIN REIZER – VP/GM Business Development Asia Pacific  
Tel: +65 6732 2355, Singapore

ED BOUFARAH - VP/GM Middle East & India  
Tel: +971 6 573 7374, Sharjah

**Office Locations**

**Leith, SCOTLAND**

Bredero Shaw Ltd.  
Bredero House, Imperial Dock  
Leith, Edinburgh EH6 7DT, Scotland, UK  
Tel: (44) (131) 553-9600, Fax: (44) (131) 553-9699

Coatings

FBE: Fusion Bonded Epoxy Powder  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
SureFlo® FEC: Thin Film Internal Epoxy  
SureFlo® SF: Solvent Free Thin Film Internal Epoxy  
Thermotite®: Polypropylene Insulation System  
ThermoFlo®: Polyurethane Insulation Systems  
HeviCote®: Concrete Weight Coating  
AE: Asphalt Enamel Pipeline Coating

**Ellon, SCOTLAND**

Bredero Shaw Ltd.  
Castlepark Industrial Estate  
Ellon, Aberdeenshire Scotland AB41 9RF, UK  
Tel: (44) (1358) 723-435, Fax: (44) (1358) 723-371

Coatings

FBE: Fusion Bonded Epoxy Powder  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPP: Three Layer Polypropylene  
3LPE: Three Layer Polyethylene  
Custom Coating and Field Joint Coating  
ThermoFlo®: Polyurethane Insulation Systems

**Farsund, NORWAY**

Bredero Shaw Norway A/S  
Lundevågveien 2  
N-4552 Farsund, Norway  
Tel: (47) (38) 39-5300, Fax: (47) (38) 39-5301

Coatings

HeviCote®: Concrete Weight Coating  
SureFlo® FEC: Thin Film Internal Epoxy  
SureFlo® SF: Solvent Free Thin Film Internal Epoxy  
AE: Asphalt Enamel Pipeline Coating

**Orkanger, NORWAY**

Bredero Shaw Norway A/S  
Gronora Industriområde  
7300 Orkanger, Norway  
Tel: (47) (72) 46-60-60, Fax: (47) (72) 46-60-70

Sales: Hilde Smevoll

Coatings

FBE: Fusion Bonded Epoxy Powder  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
Thermotite®: Polypropylene Insulation System  
Custom Coating and Field Joint Coating

**SINGAPORE**

Bredero Shaw Pte. Ltd.  
101 Thomson Rd. #17-01/02 United Square  
Singapore 307591  
Tel: +65 6732 2355, Fax: +65 6732 9073

**Jakarta, INDONESIA**

PT Bredero Shaw Indonesia  
Tamara Building, 5<sup>th</sup> Floor, Suite 501  
Jl. Jemderal Sudirman kav. 24  
Jakarta 12920, Indonesia  
Tel: +62 21 252 5671, Fax: +62 21 252 5672

**Kabil, Batam Island, INDONESIA**

PT Bredero Shaw Indonesia  
Jl. Hang Kesturi Kav 3A1  
Kawasan Industri Terpadu Kabil  
Batam 29467, Indonesia  
Tel: +62 778 412 275, Fax: +62 778 412 279

Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
AE: Asphalt Enamel  
SureFlo® FEC: Thin Film Internal Epoxy  
SureFlo® SF: Solvent Free Thin Film Internal Epoxy  
External Paint  
HeviCote®: Concrete Weight  
Insulation Coating (PUF)  
Insulation Coating (sPU)

**Kuantan, MALAYSIA**

Bredero Shaw (Malaysia)  
16m.s Kuantan/Kemaman Rd.  
PO Box 172, 25720 Kuantan  
Pahang Darul Makmur, Malaysia  
Tel: +60 9 585 2888, Fax: +60 9 583 3336

Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Fusion Bonded  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
AE: Asphalt Enamel  
ThermoFlo®: Polyurethane Insulation Systems

Thermotite<sup>®</sup>: Polypropylene Insulation Systems  
SureFlo<sup>®</sup> FEC: Thin Film Internal Epoxy  
HeviCote<sup>®</sup>: Concrete Weight Coating  
Pipe-in-Pipe: PU Foam Insulated Pipe-In-Pipe  
Insul-8<sup>®</sup>: Moulded or Spray Applied PU Foam Insulation  
Custom Coatings and Field Joint Coating

#### **Kembla Grange, AUSTRALIA**

Bredero Shaw Australia PTY LTD  
66 West Dapto Rd.  
Kembla Grange  
NSW 2526, Australia  
Tel: +61 2 4261 3455, Fax: +61 2 4261 4571

##### Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
Compression Coat Concrete Weight Coating  
Rock Jacket: Wrap Applied Bendable Concrete Coating  
Yellow Jacket<sup>®</sup>: High Density Two Layer Polyethylene Coating  
Yellow Jacket<sup>®</sup> XL: High Density Two Layer Polyethylene Coating  
Insul-8<sup>®</sup>: Moulded or Spray Applied PU Foam Insulation  
SureFlo<sup>®</sup> FEC: Thin Film Internal Epoxy Coating  
SureFlo<sup>®</sup> SF: Solvent Free Thin Film Internal Epoxy Coating

#### **Sharjah, UAE**

Bredero Shaw (Middle East) Ltd.  
Suite 402, Al Reem Plaza  
Buhairah Corniche, Sharjah, U.A.E.  
Tel: +971 6 573 7374, Fax: +971 6 573 7379

#### **Ras Al Khaimah, UAE**

Bredero Shaw (Middle East) Ltd.  
P.O. Box 6997  
Saqr Port Authority  
Ras Al Khaimah, U.A.E.  
Tel: +971 7 266 0133, Fax: +971 7 266 0144

##### Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
HeviCote<sup>®</sup>: Concrete Weight Coating  
Pipe-in-Pipe: PU Foam Insulated Pipe-in-Pipe  
SureFlo<sup>®</sup> FEC: Thin Film Internal Epoxy  
SureFlo<sup>®</sup> SF: Solvent Free Thin Film Internal Epoxy  
Custom Coatings

#### **Jubail, SAUDI ARABIA**

Arabian Pipecoating Company Ltd.  
P.O. Box 106, Al-Khobar 31952, Saudi Arabia  
Tel: +966 3 882 2933, Fax: +966 3 882 2487

##### Coatings

FBE: Fusion Bonded Epoxy  
Dual Layer FBE: Dual Layer Fusion Bonded Epoxy  
3LPE: Three Layer Polyethylene  
3LPP: Three Layer Polypropylene  
SureFlo<sup>®</sup> FEC: Thin Film Internal Epoxy Coating  
SureFlo<sup>®</sup> SF: Solvent Free Thin Film Internal Epoxy Coating  
SureFlo<sup>®</sup> FBE: Internal FBE Lining  
Compression Coat Concrete Weight Coating  
Custom Coatings

#### **BAHRAIN**

Arabian Pipecoating Co. Ltd.  
Bldg # 1579, Flat # 11  
Road # 80, Abu Saiba 473  
Budaya Highway, Bahrain

##### Postal Address

PO Box 30701

## PRODUCTS:

### BREDERO SHAW - PRODUCTS

#### Anti-Corrosion Coatings

- HPCC: High Performance Composite Coating
- 3LPE: Three Layer Polyethylene Coating
- 3LPP: Three Layer Polypropylene Coating
- FBE: Fusion Bonded Epoxy
- Dual Layer FBE: Dual Layer Fusion Bonded Epoxy
- Yellow Jacket®: High Density Two Layer Polyethylene Coating
- Yellow Jacket® XL: High Density Two Layer Polyethylene Coating
- YJ2K®: Three Layer Bonded Polyethylene Coating for Higher Temperatures
- AE®: Asphalt Enamel Pipeline Coating
- PRITEC®: Multi-Layer Polyethylene Coating
- Polychloroprene: Neoprene Rubber Coating

#### Protective and Weight Coatings

- HeviCote®: Concrete Weight Coating
- Compression Coat Concrete Weight Coating
- Rock Jacket®: Wrap Applied Bendable Concrete Coating

#### Flow Assurance Coatings

- ThermoFlo®: Polyurethane Insulation Systems
- Thermitite®: Polypropylene Insulation Systems
- Pipe-In-Pipe: Polyurethane Foam Insulated Pipe-In-Pipe
- Insul-8®: Moulded or Spray Applied Polyurethane Foam Insulation
- Insul-8® HT: Spray Applied Polyurethane Foam Insulation High Temperature
- Insul-8® AG: Pre-insulated pipe insulation system for above ground pipelines

#### Internal Coatings

- SureFlo® FEC: Thin Film Internal Epoxy Coating
- SureFlo® SF: Solvent Free Thin Film Internal Epoxy Coating
- SureFlo® FBE: Internal FBE Lining
- SureFlo® CML: Centrifugally Applied Cement
- WaterGuard™ LE: Solvent Free Epoxy Protective Lining
- WaterGuard™ PU: Solvent Free Rigid Polyurethane Lining

#### Custom Coatings and Field Joint Coatings

---

## CORINTH PIPEWORKS S.A.

#### HEAD OFFICE:

Corinth Pipeworks S.A. - Corporate Office - 33, Amaroussiou – Halandriou Street, 151 25 Maroussi, Athens, Greece, Telephone: 30-210-678-7111, Telefax: 30-210-678-7510, E-mail: [info@cpw.gr](mailto:info@cpw.gr), Website: [www.cpw.gr](http://www.cpw.gr)

APOSTOLOS PAPAVALIIOU – CEO  
THANASIS KOTZAKARIS – Plant Director  
ILIAS BEKIROS – Commercial Director  
NICK VOUDOURIS - Quality Manager  
VASILLIS GOTSIS - Coating and Lining Director

## PLANT LOCATIONS:

#### Thisvi Plant:

Vi. Pe. Thisvis, 320 10 Domvrena, Viotia, Greece, Telephone: 0030-264-22210, 0030-264-22777, 0030-264-22377, 0030-264-22388, Telefax: 0030-264-22210

#### U.S.A. Office:

CPW America Company, A Corinth Pipeworks Company, 10497 Town & Country Way, Suite 235, Houston, Texas 77024, USA, Telephone: 281-752-7300, Telefax: 281-752-7303

Dianne Burger - President, E-mail: [DBurger@cpwamerica.com](mailto:DBurger@cpwamerica.com)

Mark Soloninka - Vice President Sales and Business Development, Direct Phone: (281) 752-7397, E-mail: [msoloninka@cpwamerica.com](mailto:msoloninka@cpwamerica.com)

## PRODUCTS:

Corinth Pipeworks S.A. manufactures longitudinally ERW/HFI and SAW spiral welded steel pipes. We also coat pipe - externally with 3 layer polyethylene/polypropylene and fusion bonded epoxy coating and internally with liquid epoxy. Future plans include concrete weight coating.

### STEEL PIPES ON AND OFFSHORE

Linepipe & Casing Pipes ERW/HFI  
Grade up to: X 80 & N-80  
O.D. range: 8.625" - 26"  
Wall Thickness: 4 - 20 mm  
Max. Pipe Length: 18 m  
Capacity: 570,000 Metric tons/year

Linepipe & Piling Spiral SAW Pipes  
Grade up to: X 70  
O.D. range: 20 - 100"  
Wall Thickness: 4.8 - 25 mm  
Max. Pipe Length: 18 m (Linepipe), 33 m (piling)  
Capacity: 355,000 Metric tons/year

### PIPE COATING AND LINING

3-Layer PE/PP and FBE coating (3 lines)  
O.D. range: 3 1/2 - 48" (Corinth Plant)  
4 1/2 - 40" (Thisvi Plant)  
8 5/8 - 100" (Thisvi Plant)  
Total capacity: 8,500,000 m2/year

Liquid Epoxy Lining (3 Lines)  
O.D. range: 3 1/2 - 40" (Corinth Plant)  
8 5/8 - 56" (Thisvi Plant)  
8 5/8 - 100" (Thisvi Plant)  
Total capacity: 2,500,000 m2/year  
\* Cement lining/Concrete weight coating

---

## PERMA-PIPE CANADA, LTD.

Web Address: <http://www.permapipe.com>

Email Address: [Randy.zilli@permapipe.com](mailto:Randy.zilli@permapipe.com)

### CANADIAN SALES OFFICE

#610, 138-4th Ave. SE Calgary, Alberta, Canada T4V 4R5  
Telephone: (403) 264-4880, Telefax (888) 802-1248

RANDY ZILLI - President  
Email: [Randy.zilli@permapipe.com](mailto:Randy.zilli@permapipe.com)

CASEY BRAY - Sales Manager  
Email: [Casey.brav@permapipe.com](mailto:Casey.brav@permapipe.com)

## COATING FACILITY

5233-39 Street, Camrose, Alberta, Canada T4v 4R5  
Telephone: 780-672-2345; Telefax: 780-672-3006



**PLANT RAIL ADDRESS:**

Spur CB16 5233 - 39 Street, Camrose, AB  
Telephone: (780)672-2345; Telefax (780)672-3006

**PLANT LOCATIONS:****PRODUCTS:**

## PRODUCTS AND SERVICES:

O.D. Coating of pipe with FBE/IIISE ((Side extruded PE) / ARO Coating - 3" to 60" / pipe lengths 6m-24m.

OD RA Coating of pipe 2" – 20" (Two-layer Crosshead extrusion).

Polyurethane foam insulation capability over a wide range of corrosion barriers including Tape & Primer, RA, FBE, and IIISE.

---

**SALZGITTER MANNESMANN INTERNATIONAL**

Web Address: <http://www.salzgittermannesmann.international.us>

1770 St. James Place, Suite 500, Houston, Texas 77056  
Telephone: (713) 386-7900; Telefax: (713) 965-9330

KURT SWENDSON – Line Pipe Sales  
DANIEL PEREZ – Sales Manager Line Pipe

**PLANT LOCATIONS:**

In der Steinwiese 31  
57074 Siegen, Germany

Kissinger Weg  
89067 Hamm, Germany

**PRODUCTS:**

Salzgitter Mannesmann Line Pipe manufactures HFI-welded pipe at our two German-based mills. Our Siegen mill produces pipe from 4" - 16" OD, while our Hamm mill produces from 16"-24". As of 2010, we are capable of supplying 1.0" maximum wall thickness. Both mills have on-site coating facilities supplying 3-layer PE and PP coating, as well as single and dual layer FBE.

**Steel Pipe**

Line Pipe & Casing HFI

OD Range: 4½"-24"

Wall Thickness: up to 1.00"

Grades: up to X80

Max Pipe Length: 59 ft (18 m)

## Coatings

3-Layer PE

3-Layer PP

Single Layer FBE

Dual Layer FBE

Cement Fiber Mortar

Internal Epoxy Flow Coating

Cement Mortar Lining

---

## WASCO COATINGS MALAYSIA SDN BHD

Web Address: <http://www.wascoenergy.com>

Email Address: [rik.nugteren@wascoenergy.com](mailto:rik.nugteren@wascoenergy.com)

### HEADQUARTERS:

Suite 19.01, Level 19, The Gardens North Tower, Mid Valley City, Lingkaran Syed Putra, 59200 Kuala Lumpur, Malaysia, Telephone: +603-2685-6800, Telefax: +603-2685-6999

DR. MARTYN WILMOTT - President - Pipe Coating Division  
Email: [martyn.wilmott@wascoenergy.com](mailto:martyn.wilmott@wascoenergy.com)

RIK NUGTEREN - General Manager, EU  
Email: [rik.nugteren@wascoenergy.com](mailto:rik.nugteren@wascoenergy.com)

RAYMOND TAN - Head of Sales and Commercial - Asia  
Email: [raymond.tan@wascoenergy.com](mailto:raymond.tan@wascoenergy.com)

### REGIONAL OFFICES:

WASCO COATINGS LTD  
(EUROPE OFFICE)  
Wasco Coatings Europe,  
Kloosring 22,  
3261SB Oud-Beijerland,  
The Netherlands

WASCO KANSSEN LTD  
Room 968, Towercrest Plaza  
No. 3 MaiZiDianXi Road  
Chaoyang District Beijing, 100016  
People's Republic of China

Tel: +86 10 8458 0258  
Fax: +86 10 6460 5240  
Email: [kanssen.sales@wascoenergy.com](mailto:kanssen.sales@wascoenergy.com)

## PLANT LOCATIONS:

### MALAYSIA:

#### KUANTAN PLANT

Sub Lot 2, Kawasan Perindustrian Miel,  
Gebeng. Km 25, Jalan Kuantan-Kemaman,  
P.O. Box 240, 25720 Kuantan,  
Pahang Darul Makmur,  
Malaysia.

#### KOTA KINABALU PLANT

Kota Kinabalu Industrial Park,

Lot 13, General Industrial Zone,  
KKIP Mile 15, Jalan Telipok,  
88450 Kota Kinabalu, Sabah,  
Malaysia.

Numerous locations in China and Nigeria.

## PRODUCTS:

- Fusion Bonded Epoxy (FBE) Coating
- Multi-Layer Fusion Bonded Epoxy Coating
- Three Layer Polyethylene (3LPE) Coating
- Three Layer Polypropylene (3LPP) Coating
- Asphalt Enamel (AE) Coating
- Concrete Weight Coating (CWC)
- Internal Lining
- Custom Coating
- Thermal Spray Aluminum (TSA) Coating
- Syntactic Polyurethane Flow Assurance Coating
- Multi-Layer Polypropylene (Solid, Foam and Syntactic) Flow Assurance Coating
- Low Density Foam Pipe-in-Pipe

---

## WELSPUN CORPORATION, LTD.

Web Address: <http://www.welspunpipes.com>

Email Address: [sales\\_wgsrl@welspun.com](mailto:sales_wgsrl@welspun.com)

9/B, Tradeworld, Kamala Mills Compound, Senapati Bapat Marg, Lower Parel, Mumbai - 400 013 (India),  
Telephone: 91-22-56612600/24908000, Telefax: 91-22-56603031/24908020

RAJESH MANDAWEWALA - CEO & Managing Director

VIPUL MATHUR - Director Sales & Marketing

## PLANT LOCATIONS:

Village Vadala, Near Dahej, District Bharuch - Gujarat (India)

## PRODUCTS:

Manufacturer of longitudinal and spiral sub-merged arc welded (DSAW) pipes with range of longitudinal pipes as OD from 16 inch to 60 inch, thickness 6mm to 65mm with grade up to X-80 and above and spiral pipes as OD 18 inch to 72 inch and thickness 5 mm to 14mm. Also coated pipes with coating with EUPEC - Welspun Pipecoatings India Limited with 3LPE/3LPP, Mono and Dual Layer FBE, CTE, Internal Lining, CWC, etc.

---