

International Associate Members

BAUHUIS BV

Web Address: <http://www.bauhuis.com>

Email Address: bauhuis@bauhuis.com

Bauhuis BV, PO Box 172, 7470 AD Goor, Netherlands, Telephone: 31-547-281000, Telefax: 31-547-272699

LEX BAUHUIS - C.E.O.
RONALD de WITTE - C.O.O.
HARRY VOERMAN - C.F.O.
FRENS PETERS - C.C.O.

PRODUCTS:

Custom design, fabrication and installation of complete turnkey packages and part supply of pipe coating application facilities, including but not limited to, internal and external blast cleaning, surface pre-treatments and coating application equipment.

Internal flow efficiency & anti corrosion coating plants, external anti corrosion coal tar/ asphalt, polyurethane, 3-layer polyethylene/polypropylene, fusion bonded epoxy (F.B.E & A.R.O), concrete weight coating plants.

On-shore and off-shore pipeline handling equipment, including but not limited to, pipeline spool base equipment, firing lines, pipe push systems, lay barge handling and girth weld cleaning equipment, etc.

The Bauhuis Group engineering and management team offers many years of combined experience in designing, manufacturing, installing and operating innovative custom-designed machinery as well as an increasingly diverse range of products to meet the ever changing requirements of the modern producer in the pipeline construction industry worldwide.

DOW HYPERLAST

Web Address: <http://www.dowflowassurance.com>

Email Address: help@dowhyperlast.com

Station Road, Birch Vale, High Peak, Derbyshire SK 22 1BR, United Kingdom, Telephone: 44 (0) 1663 746518, Telefax: 44 (0) 1663 746605

SUSAN KOMONEN – Business Development Manager

Email: skomonen@dow.com

Phone: 1-416-622-6777

MICHAEL HUSPEK- Global Account Manager

Email: mhuspek@dow.com

Phone: 1-815-476-1172

RUJAL MEHTA - R&D Scientist

mehta3@dow.com

PLANT LOCATIONS:

26 Systems House Locations Worldwide

PRODUCTS:

Dow Hyperlast offers a number of flow assurance solutions and protection for pipe lines and subsea architecture:

HYPERLAST™ Syntactic DW512E

Water depth capability up to 3,000 metres (10,000 ft.).

K factors in the range of 0.145 – 0.165 W/m²K.

Temperature performance to 115°C (239°F).

Moldable and rotationally castable version available.

HYPERLAST™ PUF

Polyurethane rigid foam systems are available in a range of compressive strengths with various degrees of open/closed cell content.

Temperature performance to 146°C (295°F).

K factors as low as 0.023 W/m²K.

HYPERLAST™ FJ

Field Jointing – The fast curing times of HYPERLAST jointing polyurethanes help to enable rapid cure times as fast as 5 minutes.

PRIMERS 9295 & 9297

Designed to promote the bond between GSPU – GSPU in difficult environmental conditions.

CUSTOM COATING

To complement the parent coat and field jointing insulation systems for manifolds, risers, jumpers, spool pieces, xmas trees and related subsea architecture.

GARNEAU, INDUSTRIES, LTD.

Web Address: <http://http://www.garneau-ind.com>

Email Address: paul@@garneau-industries.com

401 - 18th Avenue, Nisku, Alberta T9E 7T5; Telephone: (780) 955-2396; Telefax: (780) 955-7715

GLEN GARNEAU - President and Owner

PAUL GARNEAU - Vice President

PRODUCTS:

Garneau designs and manufactures pipe coating plants and pipeline handling equipment, primarily for export. In addition, we fabricate oilfield related buildings and equipment, such as mud tanks, flocculation tanks, genset buildings and other domestic oilfield products.

GBA PRODUCTS CO LTD

P.O. Box 4116, Dubai, United Arab Emirates
Telephone: 9714 8815565, Telefax: 9714 8816230

RAM KINI - Managing Director

K KANSAI PAINT CO. LTD.

Web Address: <http://www.kansai.com>

Email Address: yoshihiro.honda@kp-marine.co.jp

12-1, Minamirokugo 3-Chome, Ota-ku

Tokyo 144-0045, Japan

Telephone: +81-3-6758-2210

Facsimile: +81-3-6758-2213

Headquarters

YOSHIHIRO HONDA - PFP Project Leader

Email: yoshihiro.honda@kp-marine.co.jp

SHUNJI OKU - Senior Manager

Email: OKU@als.kansai.co.jp

CRAIG JR THOMAS - Senior Business Development Consultant

Email: craig.thomas@kp-marine.co.jp

Branch Office USA

IAN J. SCARTH - Senior Business Development Consultant

One Park Plaza 10, Suite 500, 16225 Park Ten Place, Houston, Texas 77084

Telephone: +1-713-298-1770

Email: ian.scarth@kp-marine.co.jp

PLANT LOCATIONS:

Italy

Japan

China

Malaysia

Thailand

Indonesia

India

Turkey

South Africa

PRODUCTS:

Since its establishment in 1918, Kansai Paint Co., Ltd. has engaged in business with an enterprising spirit and has grown into Japan's largest paint manufacturer as well as one of the country's most progressive businesses. Today, the company enjoys a well-established position as one of the world's leading paint manufacturers.

The products created and sold by Kansai Paint and its Group of companies are highly valued and trusted around the world by customers not only in Japan, but in North America, Europe and Asia, and play an important role in the protection and beautification of all types of assets.

Takata Quantum, an antifouling paint patented worldwide and developed by Kansai Paint Marine, succeeded greatly in contributing to improving a ship's propulsion performance and to reducing the running cost of owners by reducing the frictional resistance between a ship's hull and sea water. AlesEpomir PTG Series is a Ultra-High Solids Flow Efficiency Coating (UHS FEC) that can also significantly reduce frictional resistance and contribute greatly to reducing operational costs.

PIONEER TRUCK LINES, LTD.

Web Address: <http://www.pioneertrucklines.com>

Email Address: jaredptl@telus.net

Street Address: 8321 1st Street, Edmonton, Alberta, Canada

Mailing Address: Box 72032 Ottwell P.O., Edmonton, Alberta, Canada T6B3A7; Telephone: 780-467-8880; Facsimile: 780-417-8956

DALE DUBINSKY - President

JARED DUBINSKY - Business Development Manager

STOCKING LOCATIONS:

Camrose, Alberta, Canada (35 acres)

Edmonton, Alberta, Canada (30 acres)

PRODUCTS:

Pioneer Truck Lines is engaged in pipe transportation, pipe stringing, pipe stockpiling, rail car offloading, pipe storage, and crane and picker services.

Selmers_1 SELMERS

Web Address: <http://www.selmers.com>

Email Address: sales@selmers.com

Biesland 3, 1948 RJ Beverwijk, The Netherlands; Telephone: (+31) 251-211-999; Facsimile: (+31) 251-220-777.

Headquarters

BART APPELMAN - Managing Director

Telephone: (+31) 251-211-999

Beverwijk, The Netherlands

Email: b.appelman@selmers.com

JAN PETER BIERSTEKER - Sales Director

Telephone: (+31) 251-211-999

Beverwijk, The Netherlands

Email: bj.p.biersteker@selmers.com

Branch Office USA

HANS VAN BREUKELLEN - US Representative

Telephone: 832-312-3563
Houston, Texas
Email: H.vanBreukelen@selters.com

PLANT LOCATIONS:

Amsterdam, The Netherlands

PRODUCTS:

Selters is a manufacturer of pipe blasting and coating systems and pipe handling equipment, specialized in solutions for anticorrosion coating of line pipes, protection of pipe joints and the relevant transport of pipes offshore and onshore.

Selters has all required disciplines in-house and offers full project support through the stations design, engineering, manufacturing up to installation and commissioning.

Selters' flexible standardization program offers custom made products of high quality at competitive delivery times and price levels. Post project support is available through the after sales and service department.

The production program of Selters includes a.o.:

- External multi-layer FBE, epoxy, PU and polyurea coating plants
- Internal lining plants and equipment for FBE & liquid coatings
- External & internal pipe blasting plants and equipment
- Offshore deck handling equipment
- Field Joint blasting & coating equipment
- Spool base & multi jointing fabrication lines
- Concrete weight coating plants
- Cement mortar lining equipment
- Pipeline rehabilitation equipment

SHAIC INTERNATIONAL CO.

Web Address: <http://www.shaic.com>
Email Address: davekim@shaic.com

883-3, Bonsan, Jinyoung, Kimhae, Kyungnam, Korea, Telephone: 82-55-342-0401/0402, Telefax: 82-55-342-0403

SANG TAE, KIM - President
DAVE KIM - Overseas Business Department

PRODUCTS:

- SHAIC HT-330 Heat Shrinkable Tape
 - SHAIC HS-340 Heat Shrinkable Sleeve with Patch Closure
 - SHAIC HT-350 Heat Shrinkable Tube
 - SHAIC AC-700 P.E. Anti-Corrosion Tape
 - SHAIC AC-700P Primer Synthetic resin and rubber blended with solvent
-

TIANJIN PHAHOW REINFORCEMENT TECHNOLOGY CO. LTD.

Web Address: <http://www.phahow.cn>

Email Address: prtc@phahow.cn

Office 207, 7 Kaihua Street, Huayuan Industrial Park, Tianjin (300384), P R of China, Telephone: 86-22-5838-9097, Telefax: 86-22-5838-9096

CHRIS ZHANG - General Manager

JUDY ZHU - Marketing Executive

MAGGIE WANG - Business Expansion

PLANT LOCATIONS:

No. 3 Qiujiing Road, Balitai Industrial Park, Jinnan Economic Development Area, Tianjin (300353), P R of China

PRODUCTS:

PHAHOW is a leader of manufacturers in reinforcement welded wire mesh in China, whose products have been applied in industries of concrete weight coated pipelines all over the world.
